






DELTA® COMMERCIAL PRODUCTS  
CROSS REFERENCE GUIDE




# DELTA® COMMERCIAL CROSS REFERENCE GUIDE





	<b>22C101</b> <ul style="list-style-type: none"> <li>• Synergy® 4" Centerset lavatory faucet</li> <li>• ADA lever handle</li> <li>• Cast brass body</li> <li>• Ceramic disc cartridge</li> <li>• Available in Chrome and Brilliance® Stainless</li> </ul>	<b>DELTA COMMERCIAL</b>	<b>AMERICAN STANDARD</b>	<b>CHICAGO FAUCET</b>	<b>KOHLER</b>	<b>T&amp;S BRASS</b>	<b>ZURN</b>	<b>SYMMONS</b>
		<b>22C101</b>	1408.115	2200-4	K-15199-F	B-2271	Z82200-CP4	S-20-0-VP
		<b>22C301 w/pop-up</b>	1480.110, 2000.110, 2000.101	2201-4	K-15582-F	B-2710	Z82200-P-CP4	S-20-2-VP
		<b>22C601 Single Hole</b>	2000.100 w/ 4" cover	2200	K-12183	N/A	Z82200	N/A
	<b>501-WFHDF</b> <ul style="list-style-type: none"> <li>• 4" Centerset lavatory faucet</li> <li>• ADA Compliant</li> <li>• Stainless steel ball</li> <li>• Adjustable limit stop</li> </ul>	<b>DELTA COMMERCIAL</b>	<b>AMERICAN STANDARD</b>	<b>CHICAGO FAUCET</b>	<b>KOHLER</b>	<b>T&amp;S BRASS</b>	<b>ZURN</b>	<b>SYMMONS</b>
		<b>501-WFHDF</b>	2175.504, 2385.404	2200-4VPA	K-15592-F, K-15592-P	B-2711 w/ B-0199-08	Z7740-VP	S-20-0-VP
		<b>501-WFHGMHDF</b>	2385.406	2200-4E2805	K-15593-F, K-15593-P	B-2711 w/ B-0199-08-F7	Z7440-FC	S-20-0-FR
		<b>520-WFHDF w/pop-up</b>	2175.202, 2175.502, 2385.400	2201-4EVPA	K-15582-F, K-15582-P	B-2710 w/ B-0199-08	Z7442-VP	S-20-2-VP
		<b>520-WFHGMHDF w/pop-up</b>	N/A	2201-4E2805	K-15582-F w/ K-18026, K-15582-P w/ K-18026	B-2710 w/ B-0199-08-F7	Z7442-FC	S-20-2-FR
<b>523-HDF w/grid strainer</b>	2385.403	2200-4VPA w/ 327-A	K-15598-F, K-15598-P	B-2711 w/ B-0199-08 & B-0899	Z7443-VP	S-20-2-G-VP		
	<b>87T104</b> <ul style="list-style-type: none"> <li>• Synergy® single-hole metering faucet</li> <li>• Push button</li> <li>• Cast brass body</li> </ul>	<b>DELTA COMMERCIAL</b>	<b>AMERICAN STANDARD</b>	<b>CHICAGO FAUCET</b>	<b>KOHLER</b>	<b>T&amp;S BRASS</b>	<b>ZURN</b>	<b>SYMMONS</b>
		<b>87T104</b>	N/A	333-E2805-665PSH, 335-E2805PSH	K-7504-C, K-7405-H	B-0805, B-0712	N/A	N/A
		<b>87T151 4" deck plate</b>	605P.400	Included in 844 & 857 series faucets, 240.766.21.1	N/A	N/A	.-CP4	Included in S-72 series
	<b>87T105</b> <ul style="list-style-type: none"> <li>• Synergy® single-hole lever style metering faucet</li> <li>• Cast brass body</li> <li>• ADA Compliant</li> </ul>	<b>DELTA COMMERCIAL</b>	<b>AMERICAN STANDARD</b>	<b>CHICAGO FAUCET</b>	<b>KOHLER</b>	<b>T&amp;S BRASS</b>	<b>ZURN</b>	<b>SYMMONS</b>
		<b>87T105</b>	1340.000 w/ 4" cover, 1340.105	115.718.21.1, 333-336-E2805-PSH, 807-E2805-665PSH	N/A	N/A	Z86100-3M, Z86300-3M	S-71
	<b>701-HDF</b> <ul style="list-style-type: none"> <li>• Single-hole push button metering faucet</li> <li>• Vandal resistant handle</li> <li>• Vandal resistant outlet</li> </ul>	<b>DELTA COMMERCIAL</b>	<b>AMERICAN STANDARD</b>	<b>CHICAGO FAUCET</b>	<b>KOHLER</b>	<b>T&amp;S BRASS</b>	<b>ZURN</b>	<b>SYMMONS</b>
		<b>701-HDF Single Hole</b>	N/A	333-E2805-665PSH, 335-E2805PSH	K-7504-C, K-7504-H	B-0805, B-0712	N/A	N/A
		<b>2507-HDF 4" center</b>	N/A	802-VE2805-335, 802-E2805-335	N/A	B-0831	N/A	N/A


# DELTA® COMMERCIAL CROSS REFERENCE GUIDE



	<b>86T1153</b> <ul style="list-style-type: none"> <li>• Synergy® 4" Centerset</li> <li>• Lever style metering faucet</li> <li>• Cast brass body</li> <li>• ADA Compliant</li> </ul>	DELTA COMMERCIAL	AMERICAN STANDARD	CHICAGO FAUCET	KOHLER	T&S BRASS	ZURN	SYMMONS
		<b>86T1153</b>	1340.225	802-VE2805-665, 802-E2805-665, 802-VE2805-336, 802-E2805-336	N/A	B-0831 (Non-ADA model)	Z86500-3M	N/A

  	<b>21C133</b> <ul style="list-style-type: none"> <li>• Synergy 4" Centerset lavatory faucet</li> <li>• ADA 3" hooded lever handles</li> <li>• Vandal resistant 1.5 GPM (5.7 LPM) flow control aerator</li> <li>• Cast brass body</li> <li>• CER-TECK™ cartridge</li> <li>• <i>Multiple body, handle and outlet options available</i></li> </ul>	DELTA COMMERCIAL	AMERICAN STANDARD	CHICAGO FAUCET	KOHLER	T&S BRASS	ZURN	SYMMONS
		<b>21C132</b>	N/A	N/A	K-15635	N/A	N/A	S-240-0-LWG-VP
		<b>21C133</b>	5400.142H-VA, 5500.140VP-VA 5500.140-VA	802-VXK 802-V1000XK, 802-V,* 802-V1000,*	K-7404-KE w/ 16010-4	B-0871 w/ Cerama, B-0871*	Z81101-2M, Z81103-214	S-250-VP, S-250-0-VP
		<b>21C134</b>	5400-172H-VA, 5500.170VP-VA, 5500.170-VA	802-V317XK, 802-V317,* 802-XK*	K-7404-KE w/ K-16010-5	B-0890-VRS w/ Cerama, B-0890-VRS*	Z81104-2M	S-250-LWG-VP, S-250-0-LWG-VP
		<b>21C142</b>	N/A	N/A	K-15635-K	N/A	N/A	S-240-0-LWG
		<b>21C143</b>	5400.142H, 5500.140, 5500.140VP	802-1000XK, 802, 802-1000*	K-7404-K w/ K-16010-4	B-0871 w/ Cerama, B-0871*	Z81101, Z81103	S-250, S-250-0
		<b>21C144</b>	5400.172H, 5500.170, 5500.170VP	802-317XK, 802-317*	K-7404-K w/ K-16010-5	B-0890-CR, B-0890*	Z81104	S-250-LWG, S-250-0-LWG

\*Model without ceramic cartridge

	<b>2529-LGHDF</b> <ul style="list-style-type: none"> <li>• 4" Centerset lavatory faucet</li> <li>• Vandal resistant ADA</li> <li>• Vandal resistant 2.2 GPM (8.3 LPM) aerator</li> <li>• Brass stems</li> </ul>	DELTA COMMERCIAL	AMERICAN STANDARD	CHICAGO FAUCET	KOHLER	T&S BRASS	ZURN	SYMMONS
		<b>2529-HDF w/grid strainer</b>	5502.170VP	802-V317 w/ 327-A	K-7404-KE w/ K16010-5, K-7715	B-0890 w/ B-0199-08 & B-0899	Z81104-2M-G	S-240-2-G-LWG-VP
<b>2529-LGHDF</b>	5400.172H, 5500.172VP	802-V317	K-7404-KE w/ K-16010-5	B-0890 w/ B-0199-08	Z81104-2M	S-240-LWG-VP, S-240-0-LWG-VP		

	DELTA COMMERCIAL	AMERICAN STANDARD	CHICAGO FAUCET	KOHLER	T&S BRASS	ZURN	SYMMONS
	<b>23C632</b>	N/A	N/A	N/A	N/A	N/A	N/A
	<b>23C633</b>	6530.140VP-VA	786-1000-E3VPA-XK	K7304-KE w/ K-16012-4	B-2852 w/ B-199-08 & Cerama	Z831A1-2F	S-254-VP
	<b>23C634</b>	6530.170VP-VA, 7830.372V-VA	786-E3VPA-XK, 786-E3VPC-XK, 783-E3VPA,* 786-E3VPC*	K-7304-KE w/ K-16012-5	B-2866-05 w/ B-0199-08 & Cerama, B-2867-04 w/ B-0199-08 & Cerama, B-2866-05* w/ B-0199-08, B-2867-04* w/ B-0199-08	Z831A4-2F, Z831B4-2F	S-254-LWG-VP
	<b>23C642</b>	N/A	N/A	N/A	N/A	N/A	N/A
	<b>23C643</b>	6530-140VP	786-1000-E3XK	K7304-KE w/ K-16012-4	B2852 & Cerama	Z-831-A1, Z-831-A3	S-254
	<b>23C644</b>	6530.170VP, 7830.372V	786-E3XK, 786-E3VPHXK, 786-E3,* 786-E3VPH*	K-7304-5A	B-2866-05 w/ Cerama, B-2867-04 w/ Cerama, B-2866-05,* B-2867-04*	Z831A4, Z831B4	S-254-LWG
	<b>23C674</b> Smooth end laminar flow control	N/A	786-GN2FCXK, 786-GN2FCVPHXK, 786-GN2FC,* 786-GN2FCVPH*	N/A	B-2866-05-FC w/ Cerama, B-2867-04-FC w/ Cerama, B-2866-05-FC,* B-2867-04-FC*	Z831A4-FC, Z831B4-FC	N/A
	<b>27C2944</b> 8" widespread	6530.170VP, 7830.372V	786-E3XK, 786-E3XKVPH, 786-E3,* 786-E3VPH*	K-7304-5A, K-7303-K w/ K-16012-5	B-2866-05 w/ Cerama, B-2867-04 w/ Cerama, B-2866-05,* B-2867-04*	Z871B4	S-254-LWG
	<b>27C2974</b> 8" widespread	N/A	786-GN2FCXK, 786-GN2FCVPHXK, 786-GN2FC,* 786-GN2FCVPH*	N/A	B-2866-05-FC w/ Cerama, B-2867-04-FC w/ Cerama, B-2866-05-FC,* B-2837-04-FC*	Z871B4-FC	N/A






- 23C634**
- 6"-12" Widespread lavatory faucet
  - ADA 4" sani-guard blade handles
  - Vandal resistant standard 1.5 GPM (5.7 LPM) flow control aerator
  - Rigid / swivel gooseneck spout
  - CER-TECK™ cartridge
  - Multiple spout, handle and outlet options available



\*Model without ceramic cartridge


# DELTA® COMMERCIAL CROSS REFERENCE GUIDE




		DELTA COMMERCIAL	AMERICAN STANDARD	CHICAGO FAUCET	KOHLER	T&S BRASS	ZURN	SYMMONS
 <p><b>27C4844</b></p> <ul style="list-style-type: none"> <li>• 4" cast deckmount faucet</li> <li>• ADA 4" sani-guard blade handles</li> <li>• Standard 1.5 GPM (5.7 LPM) flow control aerator</li> <li>• Rigid / Swivel gooseneck spout</li> <li>• CER-TECK™ cartridge</li> <li>• Multiple spout, handle and outlet options available</li> </ul>		<b>27C4832</b>	N/A	N/A	N/A	N/A	N/A	N/A
		<b>27C4833</b>	7500.140V-VA	895-XKVPA	K7305-KE w/K16010-4	B-0874-VRS w/Cerama	Z812A1-2F, Z812A3-2F	S-245VP, S-245-VP
		<b>27C4834</b>	7400.172V-VA, 7500.170VP-VA	895-317XKVPA, 895-317XKVPC, 895-317VPA*, 895-317VPC*	K-7305-KE w/ K16010-5	B-0892-VRS w/ Cerama, B-0892-VRS*	Z812A4-2F, Z812B4-2F	S-245-5-LWG-VP, S-245-LWG-VP
		<b>27C4842</b>	N/A	N/A	N/A	N/A	N/A	N/A
		<b>27C4843</b>	7400.142V, 7500.140V	895-XK 895*	K-7305-K w/ K16010-4	B-0874 w/ Cerama, B-0874*	Z812A1, Z812A3	S-245-5, S-245
		<b>27C4844</b>	7400.172V, 7500.170VP	895-317XK 895-317*	K-7305-5A	B-0892 w/ Cerama, B-0892*	Z812A4, Z812B4	S-245-5-LWG, S-245-LWG
		<i>*Model without ceramic cartridge</i>						
 <p><b>26C3133</b></p> <ul style="list-style-type: none"> <li>• 8" cast deckmount faucet</li> <li>• ADA 3" hooded lever handles</li> <li>• Vandal resistant 1.5 GPM (5.7 LPM) flow control aerator</li> <li>• Swing spout</li> <li>• CER-TECK® cartridge</li> <li>• Multiple spout, handle and outlet options available</li> </ul>		<b>26C3133</b>	4275.200VA 4275.500VA	1100-VPAXK 1100-VPCXK	K-7825-K w/ K-16010-4, K-18013	N/A	Z871G1-2F, Z871G3-2F	S-248-VP, S-248-LAM-VP
		<b>26C3233</b>	6273.972VA	1100-L9E3VPXK, 527-L9E3VPXK	K-15251-4	B-0220-LN w/ 060X, B-0199-06, Cerama	Z871J1-2F, Z871J3-2F	N/A
 <p><b>26C3934</b></p> <ul style="list-style-type: none"> <li>• 8" cast deckmount faucet</li> <li>• ADA 4" sani-guard blade handles</li> <li>• Vandal resistant 1.5 GPM (5.7 LPM) flow control aerator</li> <li>• Gooseneck spout</li> <li>• CER-TECK® cartridge</li> <li>• Multiple spout, handle and outlet options available</li> </ul>		<b>26C3932</b>	N/A	N/A	N/A	N/A	N/A	N/A
		<b>26C3933</b>	4275.550VA 4770.732VA	1100-GN2AE3VPXK, 527-GN2AE3VPXK	N/A	B-0321 w/ B-0199-06 & Cerama	Z871B1-2F, Z871B3-2F	N/A
		<b>26C3934</b>	6275.172VA	1100-GN2AE3VP-317XK	N/A	B-1142-04 w/B-0199-06 & Cerama	Z871B4-2F	N/A
		<b>26C3942</b>	N/A	N/A	N/A	N/A	N/A	N/A
		<b>26C3943</b>	6275.972V, 4770.732	1100.GN2A-XK	N/A	B-1142 & Cerama	Z-871B1, Z-871B3	N/A
		<b>26C3944</b>	6275.172V	1100-GN2A-317VPXK	N/A	B-1142-04 & Cerama	Z-871B4	N/A


# DELTA® COMMERCIAL CROSS REFERENCE GUIDE






		DELTA COMMERCIAL	AMERICAN STANDARD	CHICAGO FAUCET	KOHLER	T&S BRASS	ZURN	SYMMONS
 <p><b>28T9*</b></p> <ul style="list-style-type: none"> <li>8" Center wallmount service sink faucet</li> <li>Rough chrome plated cast brass</li> <li>Metal crossed handles</li> <li>Pail hook &amp; wall brace</li> <li>ASSE approved integral vacuum breaker</li> </ul>		<b>28C2383</b>	8344.112.002	897-XKCP, 897-CP*	N/A	B-0665-BSTP w/ Cerama, B-0667-POL w/Cerama, B-0665-BSTP,* B-0667-POL*	Z841M1, Z842M1-LSI, Z843MI	N/A
		<b>28C4433 w/ swing spout</b>	7293.152-VA w/ gooseneck spout	445-L12VPAXK, 540-LDL12VPAXK, 445-L12VPA,* 540-LDL12VPA*	N/A	B-0231 w/Cerama, B-0199-06, B-0231,* B-0199-06*	Z842H1-2F	N/A
		<b>28T9*</b>	8344.112.004	897-RCF	K-8908RP, K-8907RP	B-0665-BSTR B-0667-RGH	Z841M1-RC Z842M1-RC-LSI Z843M1-RC	N/A

\*Model without ceramic cartridge

		DELTA COMMERCIAL	AMERICAN STANDARD	CHICAGO FAUCET	KOHLER	T&S BRASS	ZURN	SLOAN	SYMMONS
 <p><b>590-LGHGMHDF</b></p> <ul style="list-style-type: none"> <li>Single-hole electronic faucet</li> <li>Hands-free operation</li> <li>Battery or hardwire operation</li> <li>Vandal resistant 0.5 GPM (1.9 LPM) aerator</li> <li>Waterproof electronics</li> </ul>		<b>590-LGHGMHDF Battery Powered</b>	6055.105	680, 115.737.21.1	K-10950-4 w/ K-18026 & mixing valve	N/A	Z6912-F, Z6913-F Z6916 w/ 1.5 gpm aerator	EAF-150 w/EAF-12, EAF-250 w/EAF-12, EBF-615, EBF-85EBF-187	S-6080-FR-SM
		<b>590-LGHGMHDF w/ RP32494 adaptor AC powered</b>	6056.105, 6057.105	650, 115.736.21.1	K-10951 w/ K18026 & mixing valve	N/A	Z6912-F-ACA, Z6912-F-CWB, Z6913-F-ACA, Z6913-F-CWB	EAF-100-P w/ EAF-12, EAF-200-P w/ EAF-12, ETF-80, ETF-610	S-6110-FR-SM

		DELTA COMMERCIAL	AMERICAN STANDARD	CHICAGO FAUCET	KOHLER	T&S BRASS	ZURN	SLOAN	SYMMONS
 <p><b>591-LGHGMHDF</b></p> <ul style="list-style-type: none"> <li>4" Centerset electronic lavatory faucet</li> <li>Hands-free operation</li> <li>Battery or hardwire operation</li> <li>Vandal resistant 0.5 GPM (1.9 LPM) aerator</li> <li>Waterproof electronics</li> </ul>		<b>591-LGHGMHDF battery powered</b>	6055.105, w/ 605P.400 4" cover, 6055.205	680-4, 115.737.21.1 w/ 240.754.21.1 cover & 2.2 gpm aerator	K-10950-4 w/ K-18026, K-10980 & mixing valve	EC-2102, EV-2102	Z6912-F-CP4, Z6913-F-CP4, Z6915-F, Z6916-CP4 w/ 1.5 gpm aerator	EAF-150 w/EAF-12 & ETF-607-A, EAF-250 w/ EAF-12 & ETF-312-A, EBF615-4, EBF-85-4, EBF-187-4, EBF-650	S-6080-FR
		<b>591-LGHGMHDF w/ RP32494 adaptor AC powered</b>	6056.105 w/ 605P.400 4" cover, 6057.105 w/ 605P.400 4" cover, 6056.205, 6057.205	650-4, 115.736.21.1 w/ 240.754.21.1 cover, & 2.2 gpm aerator	K-10951-4 w/ K-18026, K-10980 & mixing valve	EC-1102, EV-1102	Z6912-F-ACA- CP4, Z6912- F-CWB-CP4, Z6913-F-ACA-CP4, Z6913-F-CWB- CP4, Z6915-F-ACA, Z6915-F-CWB	EAF-100-P w/ EAF-12 & ETF-607-A, EAF-200-P w/ EAF-12, & ETF-312-A, ETF-80-4, ETF-600, ETF- 610-4	S-6110-FR


	DELTA COMMERCIAL	AMERICAN STANDARD	CHICAGO FAUCET	KOHLER	T&S BRASS	ZURN	SLOAN	SYMMONS
 <p><b>591T1250</b></p> <ul style="list-style-type: none"> <li>• Synergy® 4" Centerset electronic faucet</li> <li>• Hands-free operation</li> <li>• Battery or hardwire operation</li> <li>• Cast brass body</li> <li>• Waterproof electronics</li> <li>• Available in Chrome and Brilliance® Stainless</li> <li>• Vandal resistant 0.5 GPM (1.9 LPM) non-aerating outlet</li> <li>• Featuring H<sub>2</sub>Optics™ Technology</li> </ul>	<p><b>591T1250 w/ 0.5 GPM battery powered</b></p>	6055.205	680-4, 115.737.21.1 w/ 240.754.21.1 cover & 2.2 gpm aerator	K-10950-4 w/ K-18026, K-10980 & mixing valve	EC-2102, EV-2102	Z6912-F-CP4, Z6913-F-CP4, Z6915-F, Z6916-CP4 w/ 1.5 gpm aerator	EAF-150 w/ EAF-12 & ETF-607-A, EAF-250 w/ EAF-12, & ETF-312-A, EBF-85-4, EBF-187-4, EBF-615-4, EBF-650	S-6080-FR
	<p><b>591T1260 w/ 1.0 GPM battery powered</b></p>	6055.202, <i>Above 2 models have 2.2 gpm aerators</i>	680-4, 115.737.21.1 w/ 240.754.21.1 cover  <i>Above 2 models have 2.2 gpm aerators</i>	K-10950-4 w/ K-10980, w/ mixing valve & 2 gpm aerator	EC-2102, EV2102	Z6915, Z6916-CP4, Z6912-CP4, Z6913-CP4  <i>Above 4 models have 1.5 gpm aerators</i>	EAF-150 w/ ETF-607A, EAF-250 w/ ETF-312-A, EBF-85-4 w/ ETF-1022-A, EBF-187-4 w/ ETF-1022-A, EBF-6154 w/ ETF-1024-A, EBF-650 w/ ETF-1024-A,  <i>All 6 Sloan faucets above have 2.2 gpm aerators</i>	S-6080 w/ 1.5 gpm aerator
	<p><b>591T0250 w/ 0.5 GPM AC powered</b></p>	6056.205, 6057.205	650-4, 115.736.21.1 w/ 240.754.21.1 cover & 2.2 gpm aerator	K-10951-4 w/ K-18026, K-10980 & mixing valve	EC-1102, EV-1102	Z6915-F-ACA, Z6915-F-CWB, Z6912-F-ACA-CP4, Z6912-F-CWB-CP4, Z6913-F-ACA-CP4, Z6913-F-CWB-CP4	EAF-100-P w/ EAF-12, & ETF-607-A, EAF-200-P w/ EAF-12, & ETF-312-A, ETF-80-4, ETF-600, ETF-610-4	S-6110-FR
	<p><b>591T0260 w/ 1.0 GPM AC powered</b></p>	6056.202, 6057.202 w/2.2 aerators  <i>Above 2 models have 2.2 gpm aerators</i>	680-4, 115.737.21.1 w/ 240.754.21.1 cover, and 2.2 gpm aerator	K-10950-4 w/ K-18026, K-10980 & mixing valve	EC-1102, EV-1102	Z6912-F-CP4, Z6913-F-CP4, Z6915-F, Z6916-CP4 w/ 1.5 gpm aerator	EAF-150 w/ EAF-12, & ETF-607-A, EAF-250 w/ EAF-12, & ETF-312-A, EBF-85-4, EBF-187-4, EBF-615-4, EBF-650	S-6080-FR

		DELTA COMMERCIAL	AMERICAN STANDARD	CHICAGO FAUCET	KOHLER	T&S BRASS	ZURN	SLOAN	SYMMONS
 <p><b>590T0120</b></p> <ul style="list-style-type: none"> <li>• Single-hole electronic faucet</li> <li>• Hands-free operation</li> <li>• Battery or hardwire operation</li> <li>• Waterproof electronics</li> <li>• Vandal resistant 1.5 GPM (5.7 LPM) laminar flow outlet</li> <li>• Featuring H<sub>2</sub>Optics™ Technology</li> </ul>	<p><b>590T0120 w/ 1.5 GPM VR laminar flow spout outlet</b></p>	6056.163, 6057.163	116.305.21.1 w/ 241.891.21.1, 2.2 GPM laminar flow spout outlet	K-10951-4 w/ K-18024, 2.2 GPM laminar flow spout outlet	EC-3102 w/ B-0199-28, 2.2 GPM VR laminar flow spout outlet	Z6912-ACA-C, Z6913-CWB-C, Z6913-ACA-C, Z6913-CWB-C, Z6914-ACA-C, Z6914-CWB-C	ETF-610 w/ ETF-1028A, ETF-880 w/ ETF-237, EAF-200-P w/ EAF-13, EAF-200-LT w/ EAF-13	S-6080-AC-NA-SM, S-6080-ACM-NA-SM	
	<p><b>590T1150 w/ 0.5 GPM VR spray head</b></p>	6055.105, 2506.155	116.201.21.1, 116.202.21.1, 116.405.21.1	K-10950-4	EC-3102 w/ B-0199-08F-07 0.7 GPM spout outlet	Z6912-F, Z6913-F, Z6914-F, Z6918 w/ Z6900-20F	EBF-187, EBF-615, EAF-150 w/ EAF-12, EAF-250, SF-2150	S-6050-SM-FR	
 <p><b>DEMD-311</b></p> <ul style="list-style-type: none"> <li>• Single-hole electronic faucet w/ side mixer</li> <li>• Hands-free operation</li> <li>• Battery operation</li> </ul>	<p><b>DEMD-311</b></p>	N/A	116.221.21.1	N/A	N/A	Z6912-ADM	EAF-250-ISM	N/A	
	<p><b>1500T3570</b></p> <ul style="list-style-type: none"> <li>• Electronic Surgeon Scrub faucet</li> <li>• Hands-free operation</li> <li>• Battery or hardwire operation</li> <li>• 1.1GPM (4.2LPM) w/ laminar flow control in base of spout</li> <li>• Featuring H<sub>2</sub>Optics™ Technology</li> </ul>	<p><b>1500T3570 w/ 1.1 GPM laminar flow control in base of spout</b></p>	N/A	116.303.21.1 w/ GN2FC spout w/ 240.628.21.1 cover	N/A	N/A	Z6920-ACA-CP8 w/ G61066 2.0 GPM FC GN spout Z6920-CWB-CP8 w/ G61066 2.0 GPM FC GN spout	N/A	N/A



# DELTA® COMMERCIAL CROSS REFERENCE GUIDE



	<b>3000T3350A</b> <ul style="list-style-type: none"> <li>• Electronic Surgeon Scrub faucet</li> <li>• Hands-free operation</li> <li>• 1.5GPM (5.7LPM) w/ laminar flow</li> <li>• Featuring H<sub>2</sub>Optics™ Technology</li> </ul>	DELTA COMMERCIAL	AMERICAN STANDARD	CHICAGO FAUCET	KOHLER	T&S BRASS	ZURN	SLOAN	SYMMONS
		<b>3000T3350A</b>	N/A	N/A	N/A	N/A	N/A	Z6920-CWB	EBF-750

	<b>DESD-550</b> <ul style="list-style-type: none"> <li>• Electronic Soap Dispenser</li> <li>• Hands-free operation</li> <li>• 800 ml Lotion Hand Soap w/ moisturizer included</li> </ul>	DELTA COMMERCIAL	AMERICAN STANDARD	CHICAGO FAUCET	KOHLER	T&S BRASS	ZURN	SLOAN	SYMMONS
		<b>DESD-550</b>	N/A	N/A	N/A	N/A	N/A	Z6900-DMSD	ESD-250, ESD-350

		DELTA COMMERCIAL	AMERICAN STANDARD	CHICAGO FAUCET	KOHLER	T&S BRASS	ZURN	SLOAN	SYMMONS
<b>ELECTRONIC FAUCET ACCESSORIES</b>	<b>RP32856, Plug-in</b>	Included		126NF, 242.034.00.1	K-10982	Included	Included -ACA	Included -P, ETF-233 (2)	S-6200
	<b>RP32508, 30393 hardwire</b>	Included (15)		128NF (8), 241.821.00.1 (8)	N/A	N/A	N/A	ETF-248-40 (2), EL-154 (3), EL-208 (6)	S-6201 (4), S-6202 (8)
	<b>R2470-MIX</b>	N/A		119-NF	N/A	N/A	TMV (suffix option), P6900-TMV	N/A	5-120, 5.220-CK
	<b>R2970-MIX</b>	605XTMV		N/A	N/A	N/A	TMV-1 (suffix option), P6900-TMV-1	BDT (suffix option), MIX-135-A	5-110-CK, 5-210-CK



**81T201-BT**


- Exposed battery operated flush valve
- Vandal resistant metal cover with mounted sensor operated electronics
- Operates on 4 standard "AA" batteries
- Low battery indicator
- Adjustable sensor range
- Vandal resistant metal override button


DELTA COMMERCIAL	AMERICAN STANDARD	CHICAGO FAUCET	KOHLER	T&S BRASS	ZURN	SLOAN	SYMMONS
<b>81T201BT</b>	N/A	115.845.21.1 series RH Rough-in, 115.847.21.1 series LH Rough-in	N/A	N/A	ZER6000AV-CPM, ZR6000AV, ZER6200-CPM	8111, 8110, 111-SMO, 110-SMO, (a*) 111, (a*) 110	N/A
<b>81T201-30BT less stop</b>	N/A	115.844.21.1 series RH Rough-in, 115.846.21.1 series LH Rough-in	N/A	N/A	ZERK-CP, ZERK-CPM, ZRK-C series	RESS-C, EBV-89-A-M, EBV-89-A-P, EBV-200-A	N/A
<b>81T231BT</b>	N/A	115.841.21.1 series RH Rough-in, 115.843.21.1 series LH Rough-in	N/A	N/A	ZER6003AV-CP, ZER6003AV-CPM, ZR6003AV, ZER6203-CPM	8186 series, 186-SMO series, (a*) 186	N/A
<b>81T231-30BT less stop</b>	N/A	115.840.21.1 series RH Rough-in, 115.842.21.1 series LH Rough-in	K-13686	N/A	ZERK-CP, ZERK-CPM, ZRK-U series	RESS-U, EBV-89-A-M, EBV-89-A-P, EBV-90-A-M, EBV-90-A-P, EBV-200-A	N/A
<b>81T201HW hardwire</b>	N/A	115.975.21.1 series RH Rough-in, 115.977.21.1 series LH Rough-in	N/A	N/A	ZEMS6000AV-IS, ZEMS6200-IS, ZEMS600AV (WM), ZEMS6200 (WM)	111 ES-S (WM), 110 ES-S (WM)	N/A
<b>81T201-30HW less stop, hardwire</b>	N/A	N/A	N/A	N/A	PEMS6000-CON-KIT-IS	N/A	N/A
<b>81T231HW hardwire</b>	N/A	115.971.21.1 series RH Rough-in, 115.973.21.1 series LH Rough-in	N/A	N/A	ZEMS6003AV-IS, ZEMS6203-IS, ZEMS6003AV (WM), ZEMS6203 (WM)	186 ES-S series (WM)	N/A
<b>81T231-30HW less stop, hardwire</b>	N/A	N/A	N/A	N/A	PEMS6000-CON-KIT-IS	N/A	N/A


(a\*): Optima SMOOTH Side-Mount-Operator-Over-The-Handle Battery Powered models Valve Mounted Sensor standard product shown unless noted as (WM). (WM): Denotes Wall Mounted Sensor product.

# DELTA® COMMERCIAL CROSS REFERENCE GUIDE



	<b>81T201-WMSHW</b> <ul style="list-style-type: none"> <li>Exposed Electronic flush valve</li> <li>Watercloset and urinal models available</li> <li>Vandal resistant stainless steel cover</li> <li>Battery or hardwire operation</li> <li>Electronic manual override button</li> <li>Featuring H<sub>2</sub>Optics™ Technology</li> </ul>	DELTA COMMERCIAL	AMERICAN STANDARD	CHICAGO FAUCET	KOHLER	T&S BRASS	ZURN	SLOAN	SYMMONS
		<b>81T201-WMSHW</b>	N/A	N/A	N/A	N/A	N/A	ZEMS6000AV-WS1, ZEMS6200-WS1	111 ES-S

	<b>1600T9001</b> <ul style="list-style-type: none"> <li>Concealed electronic washdown urinal</li> <li>Watercloset and urinal models available</li> <li>Vandal resistant stainless steel cover</li> <li>Battery or hardwire operation</li> <li>Electronic manual override button</li> <li>Featuring H<sub>2</sub>Optics™ Technology</li> </ul>	DELTA COMMERCIAL	AMERICAN STANDARD	CHICAGO FAUCET	KOHLER	T&S BRASS	ZURN	SLOAN	SYMMONS
		<b>1600T6103</b>	N/A	N/A	N/A	N/A	N/A	ZEMS6152AV-WS1 w/ ZEMS6199-BX17	152-1.6 WB ES-S
<b>1600T9001</b>	N/A	N/A	N/A	N/A	N/A	ZEMS6195AV-WS1 w/ 1.0 gallon per flush	195-0.5 WB ES-S w/ 0.5 gallons per flush	N/A	

	<b>T13H533 w/10700-UNWS</b> <ul style="list-style-type: none"> <li>Monitor® pressure balance shower valve with full spray Touch Clean™ showerhead</li> <li>2.5 GPM (9.5 LPM) push-clean showerhead</li> <li>Handshower diverter valve</li> <li>24" stainless steel grab/slide bar with ADA adjustable slide</li> <li>Multiple configurations available, including showerhead, hose and grab bar options</li> </ul>	DELTA COMMERCIAL	AMERICAN STANDARD	CHICAGO FAUCET	KOHLER	T&S BRASS	ZURN	SYMMONS
		<b>T13H153 w/ R10000-UNWS less diverter, handshower</b>	1662.601	N/A	w/ K-304-KS w/ K-T6913-4, K-9674, K-9660	N/A	Z7100-SS-LH-HW-VH-VB-MT, Z7600-SS-LH-HW-VH-VB-MT	25-300-B30-R-V-X, 96-300-B30-V-X, BP-56-300-B30-B-L-V-X
<b>T13H333 R10700-UNWS</b>	1662.601 w/ 1660.440 & 1660.700	N/A	K-304-KS w/ K-T15611-4, K-9674, K-9660, K-8549	N/A	Z7101-SS-LH-DV-2P-HW-VH-VB-MT, Z7601-SS-LH-DV-2P-HW-VH-VB-MT	25-500-B30-V-X, 96-500-B30-V-X, BP-56-500-B30-B-L-V-X, C-96-500-B30-V-X		



**A MASCO COMPANY**

Delta Faucet Company

55 E. 111th St., P.O. Box 40980

Indianapolis, IN 46280

1-800-345-DELTA (3358) [www.specselect.com](http://www.specselect.com)

©2006 Masco Corporation of Indiana

DL-1610 7/08